U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT ASSISTANT SECRETARY FOR HOUSING-FEDERAL HOUSING COMMISSIONER

DIRECTORS, HOUSING DIVISION DIRECTORS, MULTIFAMILY DIVISION DIRECTORS, SINGLE FAMILY DIVISION

Series and Series Number:

MATERIALS RELEASE NO. 1289

ISSUE DATE: July 23, 1997

REVIEW DATE: July 23, 2000

SUBJECT:

TO:

1. Product Carpet Made From Nylon Yarn With Attached Foamed PVC Cushion

2. Name and Address of Manufacturer

Collins and Aikman Floorcoverings, Inc. P.O. Box 1447
Dalton, GA 30722-1447

Data on the nonstandard product described herein have been reviewed by the Department of Housing and Urban Development and determination has been made that it is considered suitable from a technical standpoint for the use indicated herein. This Release does not purpose to establish a comparative quality or value rating for this product as compared to standard products normally used in the same manner.

This Materials Release cannot be used as an indication of endorsement, or approval by MUD of the described product, and any statement or representation, presentation, however made, indicating such approval, endorsement or acceptance by MUD is unauthorized. See Code 18, U.S.C. 709.

Any reproduction of this Release must be in its entirety.

<u>USE</u>: Indoors for Type I traffic areas such as, single and multifamily units and for Type II traffic areas such as, elderly or care-type facilities.

DESCRIPTION:

This tufted carpet, with an attached foamed polyvinyl chloride (PVC) cushion, is made from nylon 6,6 yarn.

REQUIREMENTS:

The carpet shall be in accordance with the latest edition of Use of Materials Bulletin 44d, except that nylon 6,6 yarn shall be a minimum of 15 denier. The carpet shall be used in single and multifamily dwelling units and elderly and care-type dwelling units. The minimum yarn pile weight shall be 20 ounces per square yard and the minimum yarn pile density shall be 3300 ounces per cubic yard. The attached foamed PVC cushion shall comply with the requirements in Table I.

TABLE I. Physical Requirements for Attached Foamed PVC Cushion

<u>Characteristic</u>	Requirements-Values		Test Method
	Mark I	Mark II	
Weight, min., (oz/sq.yd.)	35.0	26.0	ASTM D 1667
Thickness, min., (inches)	0.150	0.06	ASTM D 1667
Density, min., (lbs./cu.ft.)	18.0	35.0	ASTM D 1667
Ash Content, max., %	50.0	50.0	ASTM D 297
Compression Set, max., (%)	10.0	10.0	ASTM D 1667
Compression Resistance, peak	12.0	29.0	ASTM D 1667
min., (lbs./sq. in.)			

GUARANTY:

Collins and Aikman Floorcoverings, Inc. guarantees this carpet against defects in materials and workmanship, under normal use, for fifteen (15) years from the date of installation. Should any defects, poor performance, or poor workmanship occur, Collins and Aikman Floorcoverings, Inc. will make a pro rata allowance for the cost of replacement.

MANUFACTURER'S RESPONSIBILITIES:

Issuance of this Materials Release (MR) commits the manufacturer to fulfill, as a minimum, the following:

- 1. Produce, label and certify the material, product or system in strict accordance with the terms of this MR.
- 2. Provide necessary corrective action in a timely manner for all cases of justified complaint, poor performance or failure reported by HUD.
- 3. When requested, provide the Office of Consumer and Regulatory Affairs, Manufactured Housing and Standards Division, HUD Headquarters, with a representative list of properties, in which the material, product or system has been used, including complete addresses or descriptions of locations and dates of installation.
- 4. Inform HUD in advance of changes in production facilities, methods, design of the product, company name, ownership or mailing address.

EVALUATION:

This MR shall be valid for a period of three years from the date of initial issuance or most recent renewal or revision, whichever is later. The holder of this MR shall apply for a renewal or revision 90 days prior to the Review Date printed on this MR. Submittals for renewal or revision shall be sent to HUD Headquarters. Appropriate User Fee shall be sent to:

U.S. Department of Housing and Urban Development Technical Suitability of Products Fees P.O. Box 954199 St. Louis, MO 63195-4199

The holder of this MR may apply for revision at any time prior to the Review Date. Minor revisions may be in the form of a supplement to the MR.

If the Department determines that a proposed renewal or supplement constitutes a revision, the appropriate User Fee for a revision will need to be submitted in accordance with Code of Federal Regulations 24 CFR 200.934, "User Fee System for the Technical Suitability of Products Program," and current User Fee Schedule.

CANCELLATION:

Failure to apply for a renewal or revision shall constitute a basis for cancellation of the MR. HUD will notify the manufacturer that the MR may be canceled when:

- 1) conditions under which the document was issued have changed so as to affect production of, or to compromise the integrity of the accepted material, product, or system;
- 2) the producer has changed its organizational form without notifying HUD; or
- 3) the producer has not complied with responsibilities it assumed as a condition of HUD's acceptance.

However, before cancellation, HUD will give the manufacturer a written notice of the specific reason for cancellation, and the opportunity to present views on why the MR should not be canceled. No refund of fees will be made on a canceled document.

This Materials Release is issued solely for the captioned firm, and is not transferable to any person or successor entity.
